



Suite 1750, 700 West Pender St.
Vancouver, British Columbia
CANADA V6C 1G8
TSX: KOR OTCQX: CORVF

Tel: (604) 638-3246
Toll Free: 1-844-638-3246
info@corvusgold.com
www.corvusgold.com

NR19-13

September 23, 2019

Corvus Gold Ongoing Drill Program Continues to Expand Sierra Blanca Deposits to the West at North Bullfrog Project, Nevada

Vancouver, B.C... Corvus Gold Inc. (“Corvus” or the “Company”) - (TSX: KOR, OTCQX: CORVF) announces it has received assay results from additional stepout drill holes testing the western extension of the Sierra Blanca Deposit on the 100% owned North Bullfrog project, Nevada (Table 1). Results continue to expand mineralization that has shown potential for the North Bullfrog deposits to be developed as a multi-phase, low strip, open-pit heap leach project (Figure 1). The current drill program is evaluating the extension of the regional scale gold system, which in the current gold price environment is an attractive target given the large size potential.

Corvus continues to work on a project plan that it believes would have lower capex and a rapid start-up development phase, with a smaller footprint, for a near-term open-pit mining project. The Phase-1 focus of the plan is centered on the high-grade oxide vein system at YellowJacket and surrounding north Sierra Blanca area of the North Bullfrog project, where baseline environmental permitting is well advanced and key infrastructure is in hand (power & water).

The most recent results west of Sierra Blanca continue to demonstrate the system extends west under shallow pediment cover which is being systematically explored for both bulk tonnage disseminated zones as well as intervening vein systems similar to YellowJacket on the east side of the deposit. Newly identified mineralization to the west is generally shallow and in the case of holes NB19-469 (39.6m @ 0.71 g/t Au) and NB19-470 (6.1m @ 1.05 g/t Au) are associated with fine stockwork quartz veins which are typically distal to a YellowJacket type system. These two holes are the farthest west holes drilled to date and may indicate the potential for another structurally controlled vein system under the pediment to the west.

Jeffrey Pontius, President and CEO of Corvus, said, “The ongoing results from our West Sierra Blanca (WSB) target are encouraging in that we could expand our North Bullfrog Phase-I resource base. Phase-I of the overall North Bullfrog mining plan is emerging as a key component to the new optimized Corvus Gold District development plan that provides a low-risk financial driver for an expanding production plan. In addition, Corvus continues to aggressively drill its priority “new discovery” targets with follow-up holes at Cat Hill, North Jolly Jane and South YellowJacket which are looking promising for our ability to expand existing deposits and define new discoveries, highlighting the exploration potential of the greater Bullfrog District. With the recent rise in gold price Corvus sees great potential with expanding the large low-grade mineral system that extends throughout the North Bullfrog and new Gap target areas. This work, linked with encouraging resource expansion results at both North Bullfrog and Mother Lode, paint an attractive picture for a possible fast track project, which Corvus believes could deliver a true Nevada scale operation.”




Figure 1. Location of new holes at North Bullfrog, Nevada

Table 1

North Bullfrog - New Discovery Phase I Drilling Results at WSB

(Reported intercepts are not true widths as there is currently insufficient data to calculate true orientation in space. Mineralized intervals are calculated using a 0.3 g/t cutoff unless otherwise indicated below)

Drill Hole #	from (m)	to (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Comment
NB19-460	89.92	99.06	9.14	0.49	n/a	
	106.68	135.64	28.96	0.57	n/a	
	140.21	156.97	16.76	0.42	n/a	
AZ 090 dip-65	163.07	166.12	3.05	0.37	n/a	

NB19-461	108.20	111.25	3.05	0.16	n/a	<i>Low-grade (0.1 cut)</i>
AZ 090 dip-60	138.68	176.78	38.1	0.37	n/a	

NB19-462	10.67	16.76	6.09	0.78	n/a	
AZ 90 dip-50	73.15	85.34	12.19	0.72	n/a	

NB19-463	19.81	24.38	4.57	0.51	n/a	
AZ 90 dip-55	35.05	38.1	3.05	1.43	n/a	
	32.00	42.67	10.67	0.56	n/a	<i>Low-grade (0.1 cut)</i>
	59.44	62.48	3.04	0.20	n/a	<i>Low-grade (0.1 cut)</i>
	141.73	149.35	7.62	0.22	n/a	<i>Low-grade (0.1 cut)</i>

NB19-464	25.91	42.67	16.76	0.22	n/a	<i>Low-grade (0.1 cut)</i>
AZ 90 dip-55	50.29	62.48	12.19	0.11	n/a	<i>Low-grade (0.1 cut)</i>

NB19-465	76.20	99.06	22.86	0.19	n/a	<i>Low-grade (0.1 cut)</i>
AZ 90 dip-55	126.49	129.54	3.05	0.11	n/a	<i>Low-grade (0.1 cut)</i>

NB19-466	124.97	128.02	3.05	0.14	n/a	<i>Low-grade (0.1 cut)</i>
AZ 090 dip-65	152.40	160.02	7.62	0.19	n/a	<i>Low-grade (0.1 cut)</i>
	166.12	179.83	13.71	0.15	n/a	<i>Low-grade (0.1 cut)</i>

NB19-467	118.87	131.06	12.19	0.21	n/a	<i>Low-grade (0.1 cut)</i>
AZ 090 dip-70	150.88	156.97	6.09	0.39	n/a	
	176.78	188.98	12.19	0.25	176.78	<i>Low-grade (0.1 cut)</i>
	204.22	207.26	3.05	0.15	204.22	<i>Low-grade (0.1 cut)</i>

NB19-468	73.15	94.49	21.34	0.52	n/a	
AZ 070 dip-45	124.97	128.02	3.05	0.15	n/a	<i>Low-grade (0.1 cut)</i>
	140.21	143.26	3.05	0.46	n/a	
	153.92	158.50	4.58	0.15	n/a	<i>Low-grade (0.1 cut)</i>
	192.02	199.64	7.62	0.17	n/a	<i>Low-grade (0.1 cut)</i>
	208.79	211.84	3.05	0.11	n/a	<i>Low-grade (0.1 cut)</i>

NB19-469	114.3	153.92	39.62	0.71	n/a	
AZ 90 dip-55	160.02	169.16	9.14	0.42	n/a	
	181.36	184.40	3.04	0.39	n/a	
	195.07	204.22	9.15	0.72	n/a	
	217.93	220.98	3.05	0.14	n/a	<i>Low-grade (0.1 cut)</i>
	248.41	254.51	6.1	0.17	n/a	<i>Low-grade (0.1 cut)</i>
	265.18	268.22	3.04	0.19	n/a	<i>Low-grade (0.1 cut)</i>
	277.37	283.46	6.09	0.11	n/a	<i>Low-grade (0.1 cut)</i>

NB19-470	160.02	164.59	4.57	0.49	n/a	
AZ 90 dip-65	227.08	233.17	6.09	1.05	n/a	
	225.55	266.70	41.15	0.30	n/a	<i>Low-grade (0.1 cut)</i>
	242.32	246.89	4.57	0.45	n/a	
	306.32	309.37	3.05	0.40	n/a	

NB19-471 AZ 90 dip-65	80.77	143.26	62.49	0.49	n/a	
---------------------------------	-------	--------	-------	------	-----	--

NB19-472	62.48	80.77	18.29	0.79	n/a	
AZ 90 dip-70	102.11	105.16	3.05	0.49	n/a	
	111.25	117.35	6.1	0.36	n/a	
	158.5	169.16	10.66	0.48	n/a	
	173.74	178.31	4.57	0.59	n/a	

NB19-473	71.63	94.49	22.86	0.89	n/a	
AZ 90 dip-60	111.25	114.3	3.05	0.31	n/a	
	143.26	156.97	13.71	0.81	n/a	

Qualified Person and Quality Control/Quality Assurance

Jeffrey A. Pontius (CPG 11044), a qualified person as defined by National Instrument 43-101 – Standards of Disclosure for Mineral Projects (“NI 43-101”), has supervised the preparation of the scientific and technical information that forms the basis for this news release and has approved the disclosure herein. Mr. Pontius is not independent of Corvus, as he is the CEO & President and holds common shares and incentive stock options.

Carl E. Brechtel, (Nevada PE 008744 and Registered Member 353000 of SME), a qualified person as defined by NI 43-101, has coordinated execution of the work outlined in this news release and has approved the disclosure herein. Mr. Brechtel is not independent of Corvus, as he is the COO and holds common shares and incentive stock options.

The work program at North Bullfrog and Mother Lode was designed and supervised by Mark Reischman, Corvus Gold’s Nevada Exploration Manager, who is responsible for all aspects of the work, including the quality control/quality assurance program. On-site personnel at the project log and track all samples prior to sealing and shipping. Quality control is monitored by the insertion of blind certified standard reference materials and blanks into each sample shipment. All mineral resource sample shipments are sealed and shipped to American Assay Laboratories (AAL) in Reno, Nevada, for preparation and assaying. AAL is independent of the Company. AAL’s quality system complies with the requirements for the International Standards ISO 9001:2000 and ISO 17025:1999. Analytical accuracy and precision are monitored by the analysis of reagent blanks, reference material and replicate samples. Finally, representative blind duplicate samples are forwarded to AAL and an ISO compliant third-party laboratory for additional quality control. Mr. Pontius, a qualified person, has verified the data underlying the information disclosed herein, including sampling, analytical and test data underlying the information by reviewing the reports of AAL, methodologies, results and all procedures undertaken for quality assurance and quality control in a manner consistent with industry practice, and all matters were consistent and accurate according to his professional judgement. There were no limitations on the verification process.

Mr. Scott E. Wilson, CPG (10965), Registered Member of SME (4025107) and President of Resource Development Associates Inc., is an independent consulting geologist specializing in Mineral Reserve and Mineral Resource calculation reporting, mining project analysis and due diligence evaluations. He is acting as the Qualified Person, as defined in NI 43-101, and is the primary author of the Technical Report for the Mineral Resource estimate and has reviewed and approved the Mineral Resource estimate and the Preliminary Economic Assessment summarized in this news release. Mr. Wilson has over 29 years of experience in surface mining, mineral resource estimation and strategic mine planning. Mr. Wilson is President of Resource Development Associates Inc. and is independent of the Company under NI 43-101.

Mr. Wilson, a qualified person, has verified the data underlying the information disclosed herein, including sampling, analytical and test data underlying the information by reviewing the reports of AAL, methodologies, results and all procedures undertaken for quality assurance and quality control in a manner consistent with industry practice, and all matters were consistent and accurate according to his professional judgement. There were no limitations on the verification process.

Metallurgical testing on North Bullfrog and Mother Lode samples has been performed by McClelland Analytical Services Laboratories Inc. of Sparks Nevada (“McClelland”), McClelland is an ISO 17025 accredited facility that supplies quantitative chemical analysis in support of metallurgical, exploration and environmental testing using classic methods and modern analytical instrumentation. McClelland has met the requirements of the IAS Accreditations Criteria for Testing Laboratories (AC89), has demonstrated compliance with ANS/ISO/IEC Standard 17025:2005, General requirements for the competence of testing and calibration laboratories, and has been accredited, since November 12, 2012. Hazen Research Inc. (“Hazen”), an independent laboratory, has performed flotation, AAO testing and cyanide leach testing on samples of sulphide mineralization from the YellowJacket zone and Swale area of Sierra Blanca, and roasting tests on Mother Lode flotation concentrate. Hazen holds analytical certificates from state regulatory agencies and the US Environmental Protection Agency (the “EPA”). Hazen participates in performance evaluation studies to demonstrate competence and maintains a large stock of standard reference materials from the National Institute of Standards and Technology (NIST), the Canadian Centre for Mineral and Energy Technology (CANMET), the EPA and other sources. Hazen’s QA program has been developed for conformance to the applicable requirements and standards referenced in 10 CFR 830.120 subpart A, quality assurance requirements, January 1, 2002. Pressure oxidation test work on Mother Lode concentrate samples was performed by Resource Development Inc. of Wheatridge, CO.

For additional details, see technical report entitled “Technical Report and Preliminary Economic Assessment for the Integrated Mother Lode and North Bullfrog Projects, Bullfrog Mining District, Nye County, Nevada”, dated November 1, 2018 and amended on November 8, 2018, with an effective date of September 18, 2018 on the Company’s profile at www.sedar.com.

About the North Bullfrog & Mother Lode Projects, Nevada

Corvus controls 100% of its North Bullfrog Project, which covers approximately 90.5 km² in southern Nevada. The property package is made up of a number of private mineral leases of patented federal mining claims and 1,134 federal unpatented mining claims. The project has excellent infrastructure, being adjacent to a major highway and power corridor as well as a large water right. The Company also controls 445 federal unpatented mining claims on the Mother Lode

project which totals approximately 36.5 km² which it owns 100%. The total Corvus 100% land ownership now covers over 127 km², hosting two major new Nevada gold discoveries.

The combined Mother Lode and North Bullfrog Projects contains a Measured Mineral Resource for the mill of 9.3 Mt at an average grade of 1.59 g/t gold, containing 475 k ounces of gold and Indicated Mineral Resources for the mill of 18.2 Mt at an average grade of 1.68 g/t gold containing 988 k ounces of gold and an Inferred Mineral Resource for the mill of 2.3 Mt at an average grade of 1.61 g/t gold containing 118 k ounces of gold. In addition, the project contains a Measured Mineral Resource for oxide, run of mine, heap leach of 34.6 Mt at an average grade of 0.27 g/t gold containing 305 k ounces of gold and an Indicated Mineral Resource for, oxide, run of mine, heap leach of 149.4 Mt at an average grade of 0.24 g/t gold containing 1,150 k ounces of gold and an Inferred, oxide, run of mine, heap leach Mineral Resource of 78.7 Mt at an average grade of 0.26 g/t gold containing 549 k ounces of gold.

About Corvus Gold Inc.

Corvus Gold Inc. is a North American gold exploration and development company, focused on its near-term gold-silver mining project at the North Bullfrog and Mother Lode Districts in Nevada. Corvus is committed to building shareholder value through new discoveries and the expansion of its projects to maximize share price leverage in an advancing gold and silver market.

On behalf of
Corvus Gold Inc.

(signed) *Jeffrey A. Pontius*
Jeffrey A. Pontius,
President & Chief Executive Officer

Contact Information: Ryan Ko
Investor Relations
Email: info@corvusgold.com
Phone: 1-844-638-3246 (toll free) or (604) 638-3246

Cautionary Note Regarding Forward-Looking Statements

This press release contains forward-looking statements and forward-looking information (collectively, "forward-looking statements") within the meaning of applicable Canadian and US securities legislation. All statements, other than statements of historical fact, included herein, including, without limitation, statements regarding the advancement and development of our North Bullfrog project and Mother Lode project and the expansion of our drill program; potential for additional mineralization; expectations for types of mineralization; updates on the development progress at the North Bullfrog project and the Mother Lode project; the potential for new deposits and expected increases in a system's potential; anticipated content, commencement and cost of exploration programs, anticipated exploration program results, are forward-looking statements. Although the Company believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate and similar expressions, or are those, which, by their nature, refer to future events. The Company cautions investors that any forward-looking statements by the Company are not guarantees of future results or performance, and that actual results may differ materially from those in forward looking statements as a result of various factors, including, but not limited to, variations in the nature, quality and quantity of any mineral deposits that may be located, variations in the market price of any mineral products the Company may produce or plan to produce, the Company's inability to obtain any necessary permits, consents or authorizations required for its activities, the Company's inability to produce minerals from its properties successfully or profitably, to continue its projected growth, to raise the necessary capital or to be fully able to implement its business strategies, and other risks and uncertainties disclosed in the

Company's Annual Report on Form 10-K for the fiscal year ended May 31, 2019 filed with certain securities commissions in Canada and the Company's most recent filings with the United States Securities and Exchange Commission (the "SEC"). All of the Company's Canadian public disclosure filings in Canada may be accessed via www.sedar.com and filings with the SEC may be accessed via www.sec.gov and readers are urged to review these materials, including the technical reports filed with respect to the Company's mineral properties.